DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**IL0021547**	**Permittee:**	GLENBARD WASTEWATER AUTHORITY	**Facility:**	GLENBARD WASTEWATER AUTHORITY - MAIN WWTP
Major:	Yes	**Permittee Address:**	945 BEMIS ROAD GLEN ELLYN, IL 60137	**Facility Location:**	945 BEMIS ROAD GLEN ELLYN, IL 60137
Permitted Feature:	001 External Outfall	**Discharge:**	**001-0** STP OUTFALL		

Report Dates & Status

Monitoring Period:	**From 05/01/26 to 05/31/26**	**DMR Due Date:**	**06/25/26**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

W0430600002 ; DMF LOAD LIMITS DISPLAYED.

Principal Executive Officer

First Name:	Matt	**Title:**	Executive Director	**Telephone:**	630-790-1901
Last Name:	Streicher				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	64.5	15 - deg F	0	01/30 - Monthly	GR - Grab
					Permit Req.											Req Mon MO MAX	15 - deg F		01/30 - Monthly	GR - Grab
					Value NODI															
00300	**Oxygen, dissolved [DO]**	1 - Effluent Gross	0	--	Sample								=	8.5	=	8.49	19 - mg/L	0	02/DA - 2 Days Every Week	GR - Grab
					Permit Req.								>=	6.0 MN WK AV	>=	5.0 DAILY MN	19 - mg/L		02/DA - 2 Days Every Week	GR - Grab
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	6.61			=	6.84	12 - SU	0	02/DA - 2 Days Every Week	GR - Grab
					Permit Req.						>=	6.0 MINIMUM			<=	9.0 MAXIMUM	12 - SU		02/DA - 2 Days Every Week	GR - Grab
					Value NODI															
00410	**Alkalinity, total [as CaCO3]**	1 - Effluent Gross	0	--	Sample										=	154.0	19 - mg/L	0	01/30 - Monthly	GR - Grab
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - Grab
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample	=	619.52	=	1284.99	26 - lb/d			=	7.69	=	15.34	19 - mg/L	0	02/DA - 2 Days Every Week	CP - Composite
					Permit Req.	<=	4704.0 MO AVG	<=	9408.0 DAILY MX	26 - lb/d			<=	12.0 MO AVG	<=	24.0 DAILY MX	19 - mg/L		02/DA - 2 Days Every Week	CP - Composite
					Value NODI															
00600	**Nitrogen, total [as N]**	1 - Effluent Gross	0	--	Sample										=	19.8	19 - mg/L	0	01/30 - Monthly	CP - Composite
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	CP - Composite
					Value NODI															
00610	**Nitrogen, ammonia total [as N]**	1 - Effluent Gross	0	--	Sample	=	19.38	=	48.58	26 - lb/d			=	0.22	=	0.58	19 - mg/L	0	02/DA - 2 Days Every Week	CP - Composite
					Permit Req.	<=	588.0 MO AVG	<=	1176.0 DAILY MX	26 - lb/d			<=	1.5 MO AVG	<=	3.0 DAILY MX	19 - mg/L		02/DA - 2 Days Every Week	CP - Composite
					Value NODI															
					Sample															

00625	**Nitrogen, Kjeldahl, total [as N]**	1 - Effluent Gross	0	--	Permit Req.												Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	CP - Composite
					Value NODI												B - Below Detection Limit/No Detection				
00630	**Nitrite + Nitrate total [as N]**	1 - Effluent Gross	0	--	Sample											=	19.8	19 - mg/L	0	01/30 - Monthly	CP - Composite
					Permit Req.												Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	CP - Composite
					Value NODI																
00665	**Phosphorus, total [as P]**	1 - Effluent Gross	0	--	Sample								=	3.4	=	4.11	19 - mg/L	0	01/07 - Weekly	CP - Composite
					Permit Req.									Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/07 - Weekly	CP - Composite
					Value NODI																
00666	**Phosphorus, dissolved**	1 - Effluent Gross	0	--	Sample										=	2.48	19 - mg/L	0	01/30 - Monthly	CP - Composite
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	CP - Composite
					Value NODI																
00940	**Chloride [as Cl]**	1 - Effluent Gross	0	--	Sample										=	184.0	19 - mg/L	0	01/30 - Monthly	GR - Grab
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - Grab
					Value NODI																
30500	**Coliform, fecal - % samples exceeding limit**	1 - Effluent Gross	0	--	Sample										=	0.0	23 - %	0	02/DA - 2 Days Every Week	GR - Grab
					Permit Req.										<=	10.0 MAXIMUM	23 - %		02/DA - 2 Days Every Week	GR - Grab
					Value NODI																
50050	**Flow, in conduit or thru treatment plant**	1 - Effluent Gross	0	--	Sample	=	9.37	=	13.94	03 - MGD								0	99/99 - Continuous	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									99/99 - Continuous	
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample										=	0.0	19 - mg/L	0	CL/OC - Chlorination/Occurances	GR - Grab
					Permit Req.										<=	0.038 DAILY MX	19 - mg/L		CL/OC - Chlorination/Occurances	GR - Grab
					Value NODI																
74055	**Coliform, fecal general**	1 - Effluent Gross	0	--	Sample								=	1.0	=	97.0	13 - #/100mL	0	02/DA - 2 Days Every Week	GR - Grab
					Permit Req.								<=	200.0 GEO MEAN		Req Mon DAILY MX	13 - #/100mL		02/DA - 2 Days Every Week	GR - Grab
					Value NODI																
80082	**BOD, carbonaceous [5 day, 20 C]**	1 - Effluent Gross	0	--	Sample	=	398.23	=	554.63	26 - lb/d			=	5.11	=	7.9	19 - mg/L	0	02/DA - 2 Days Every Week	CP - Composite
					Permit Req.	<=	3920.0 MO AVG	<=	7840.0 DAILY MX	26 - lb/d			<=	10.0 MO AVG	<=	20.0 DAILY MX	19 - mg/L		02/DA - 2 Days Every Week	CP - Composite
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

GLENBARD WASTEWATER AUTHORITY

User:	MAMCGRATH
Name:	Micaela McGrath
E-Mail:	mmcgrath@gbww.org
Date/Time:	2026-06-12 07:03 (Time Zone: -05:00)

Report Last Signed By

User:	MAMCGRATH
Name:	Micaela McGrath
E-Mail:	mmcgrath@gbww.org

Date/Time: 2026-06-12 07:04 (Time Zone: -05:00)